



Your ticket to *freedom* since 1947

BREAKA The Trusted name for 78 years



Couples Van Layouts



BR147CDOBEWDS

External Body Length: 4480mm Overal Height: 3200mm Overall External Length: 7380mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



BR176CD0BLL

Overall External Length: 8265mm End Coupling to Outer Spare Tyre

External Body Length: 5365mm Overal Height: 3200mm Overall Width: 2500mm



BR185RDOBDS

External Body Length: 5645mm Overal Height: 3200mm Overall External Length: 8545mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



BR149RDOBEWDS

External Body Length: 4530mm Overall External Length: 7430mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



BR176CD0BEWSC

External Body Length: 5365mm Overall External Length: 8265mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



BR183CDQBDS

Overall External Length: 8495mm End Coupling to Outer Spare Tyre

Overall Width: 2500mm



BR194RD0BDS

External Body Length: 5925mm Overall External Length: 8825mm End Coupling to Outer Spare Tyre





OHC

External Body Length: 5875mm Overal Height: 3200mm Overall External Length: 8775mm Overall Width: 2500mm

BR178RD0BDS

Wardrobe

BR192CD0BDS

End Coupling to Outer Spare Tyre

External Body Length: 5420mm Overall External Length: 8320mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm





BR199CD0BSC

External Body Length: 6055mm Overall External Length: 8955mm End Coupling to Outer Spare Tyre


Overal Height: 3200mm Overall Width: 2500mm



BR2111RD0BRC

External Body Length: 6715mm Overall External Length: 9625mm End Coupling to Outer Spare Tyre


Overal Height: 3200mm Overall Width: 2500mm



BR1911RD0BSC

External Body Length: 6105mm Overall External Length: 9005mm End Coupling to Outer Spare Tyre


Overal Height: 3200mm Overall Width: 2500mm



BR216CDQBSC

External Body Length: 6590mm Overall External Length: 9490mm End Coupling to Outer Spare Tyre


Overal Height: 3200mm Overall Width: 2500mm



BR226CDQBSC

External Body Length: 6895mm Overall External Length: 9805mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



BR228RD0BRC

External Body Length: 6945mm Overall External Length: 9845mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



BR2111RD0BSC

External Body Length: 6715mm Overall External Length: 9625mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Door Position Reference	CD/ RD	CD / RD	CD / RD	CD / RD	CD / RD	CD	RD	RD	CD	RD
Seating Arrangement - Centre Door	Dinette	Side Club EW /L- Lounge	Dinette	Dinette	Side Club	Side Club			Side Club	NA
Seating Arrangement - Rear Door	Dinette	Dinette	Dinette	Dinette	side Club	NA	Rear Club	Side Club	NA	Rear Club
Other Seating Options	L-Lounge	L-Lounge RD Only	L-Lounge	L-Lounge	Dinette or L- Lounge	Dinette	Side Club + Dinette	Dinetter	Dinette	NA
Caption Chairs		17ft6 EW CD	Optional CD&RD	Optional CD&RD			Optional in Rear Club	NA		Optional in Rear Club
Single Beds (seating change to Side Club)			Optional	Optional	Optional RD Only		Optional in Rear Club	NA		Optional in Rear Club
Dimensions										
External Body Length	4480mm (CD) / 4530mm (RD)	5365mm (CD) / 5420mm (RD)	5595mm (CD) / 5645mm (RD)	5875mm (CD) / 5925mm (RD)	6055mm (CD) / 6105mm (RD)	6590mm (CD)	6715mm (RD)	6715mm (RD)	6895mm (CD)	6945mm (RD)
External Length (End Coupling to Outer Spare Tyre)	7380mm (CD) / 7430mm (RD)	8265mm (CD) / 8320mm (RD)	8495mm (CD) / 8545mm (RD)	8775mm (CD) / 8825mm (RD)	8955mm (CD) / 9005mm (RD)	9490mm (CD)	9625mm (RD)	9625mm (RD)	9805mm (CD)	9845mm (RD)
External Height (Ground to Top of AC Unit) - Variable	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
Internal Length	4335mm (CD) / 4385mm (RD)	5225mm(CD) / 5275mm (RD)	5475mm(CD) / 5525mm (RD)		5900mm (CD) / 5950mm (RD)	6425mm (CD)	6550mm (RD)	6550mm (RD)	6725mm (CD)	6825mm (RD)
Internal Height	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm
Note : Indicative lengths are standard	configuration, an	y additional optio	ns or variations co	ould change these	figures					

Construction										
Alko Engineered Designed Infill Flat Floor (TRUSS) - Galvanized	•	•	•	•	•	•	•		•	•
Options : SuperGal Painted Charcoal or Enduro Paint	0	0	0	0	0	0	0	0	0	0
Alko Chassis Construction:										
Extended Aframe (length 2000mm , steel 6" x 2") C450	•	•	•	•	•	•	•	•	•	•
Truss Main Bearers Top: 75x50 Grade C350	•	•	•	•	•	•	•	•	•	•
Truss Main Bearers Bottom: 50x50x3mm Grade C350	•	•	•	•	•	•	•	•	•	•

Мо

lodel	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
onstruction										
luminium Wall Frame	•	•	•	•	•	•	•	•	•	•
ull Piece Composite Roof : 5 olour Options	•	•	•	•	•	•	•	•	•	•
2mm XPS Mositure Resistant sulation between Aluminium /all Frames	•	•	•	•	•	•	•	•	•	•
olyHoney Comb Heavy Duty ooring	•	•	•	•	•	•	•	•	•	•
Omm One Piece XPS Insulated NC Pre-Fabricated Roof	•	•	•	•	•	•	•	•	•	•
luminium Composite Panel : 5 olour Options	•	•	•	•	•	•	•	•	•	•
ruisemaster Single ATX 3.0T irbag L3 Manual 12" inch Electric rakes	•	•	•	NA	NA	NA	NA	NA	NA	NA
ruisemaster Tandem ATX 4.5T rbag L3 Manual 12"Electric Brakes	NA	NA	NA	•	•	•	•	•	•	•
O35 / DO45 HitchMaster oupling (Subject to Weights)	•	•	•	•	•	•	•	•	•	•
xterior										
65/75 R17 Mud Tyres on Black ims Includes One Spare Wheel	•	•	•	•	•	•	•	•	•	•
lack Checker Plate , approx 00mm on sides	•	•	•	•	•	•	•	•	•	•
rinted Decals Choice of 5 colours	•	•	•	•	•	•	•	•	•	•
cnic Table	•	•	•	•	•	•	•	•	•	•
kternal TV Box	NA	•	•	•	•	•	•	•	•	•
ternal Awning with Mid roller support	NA	•	•	•	•	•	•	•	•	•
ectric Awning	•	0	0	0	0	0	0	0	0	0
ouble Manual Entry Step	•	•	•	•	•	•	•	•	•	•
ntry Door Grab Handle with Light	•	•	•	•	•	•	•	•	•	•
umper Bar 4 arm 45 DEG 46" STD	•	•	•	•	•	•	•	•	•	•
ko 8" Jockey Wheel	•	•	•	•	•	•	•	•	•	•
Ill Width Tunnel Boot	•	•	•	•	•	•	•	•	•	•
hecker Plate Large Toolbox with ouble Sliders , Internally lounted Gas Bottles	•	•	•	•	•	•	•	•	•	•
arafan Sahara Dust Reduction System	•	•	•	•	•	•	•	•	•	•
-,										

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Exterior										
Jerry Cans x 2	•	•	•	•	•	•	•	•	•	•
Fusion Panel Speaker Outdoor plus Mounting Bracket, with SRX400 Marine Stereo	•	•	•	•	•	•	•		•	•
Safety Dave RV 6" Dash Kit (Dual Camera with Double Woza Scren and Car Wiring)	NA	•	•	•	•	•	•		•	•
Wireless Reversing Camera	•	0	0	0	0	0	0	0	0	0
Electrical										
Enerdrive eSYS-ICA-SI-03 consisting of	•	•	•	•	•	•	•		•	•
3000W Inverter /Charger / 100A- 12V Pure Sinewave Ouput	•	•	•	•	•	•	•		•	•
40Amp DC_DC Charger	•	•	•	•	•	•	•		•	•
40Amp Solar Charger x 2	•	•	•	•	•	•	•		•	•
Simarine VIA Digital Switch Control Panel	•	•	•	•	•	•	•		•	•
4 Water Tank Monitoring Sensors	5 •	•	•	•	•	•	•		•	•
2 x 300Ah B-TEC Enerdrive G2 Lithium Batteries	•	•	•	•	•	•	•	•	•	•
Three Solar Panels - Five Solar Panels (200watts each/ model dependent)	x2 Only	•	•	NA	NA	NA	NA	NA	NA	NA
Anderson Plug - DCtoDC Battery Charging	•	•	•	•	•	•	•	•	•	•
Additional Anderson Plug - Portable Solar Panel	•	•	•	•	•	•	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•	•	•	•	•	•	•
Carafan Sahara Dust Reduction System	•	•	•	•	•	•	•	•	•	•
Starlink Ready: 12V Starlink Cosmo for Starlink Gen 3)	•	٠	•	•	•	•	•	•	•	•
Fusion Radio Apollo 770 Stereo System Plus Fusion Corner Speakers (2 Bedroom and 2 Seating Area)	•	•	•	•	•	•	•	•	•	•
Soft LED strip Lights at : Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC and KickBoard)	•	•	•	•	•	•	•	•	•	•

M

Nodel	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
lectrical										
Iulti Colour Annex Light - Door Side	x2	x2	x2	х3	x3	x3	x3	x3	x3	x3
Iulti Colour Annex Light - Driver Side	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
xternal Power Point at Picnic Table	•	•	•	•	•	•	•	•	•	•
eversing Camera	NA	•	•	•	•	•	•	•	•	•
Vireles Reversing Camera	•	0	0	0	0	0	0	0	0	0
4" Smart TV (Van size : 14ft7-18ft5)	•	•	•	NA	NA	NA	NA	NA	NA	NA
7" Smart TV (Van size > 19ft2)	NA	NA	NA	•	•	•	•	•	•	•
unnel Boot lighting at lockable oors , both sides	•	•	•	•	•	•	•	•	•	•
40V Single Power point,12V ocket,USB port in Bedside Nook	•	•	•	•	•	•	•	•	•	•
ouble Power Points : Living Seating lus USB, Kitchen and Ensuite	•	•	•	•	•	•	•	•	•	•
eading Lights : Bedroom x2 , iving x2	•	•	•	•	•	•	•	•	•	•
xternal TV Box : 240V Single ower Point, CIG 12V / Antenna oint Plus Fusion SRX400 Stero nd External Panel Speaker	NA	•	•	•	•	•	•	•	•	•
Flow Directional Fans x 2	•	•	•	•	•	•	•	•	•	•
uilt in Phone Chargers	•	•	•	•	•	•	•	•	•	•
lumbing										
Iulti Lockable Water Filler Box <i>v</i> ith Fresh Water Tank Change Over Valve	•	•	•	•	•	•	•	•	•	•
our Water Tank Sensors	•	•	•	•	•	•	•	•	•	•
wo Externally Mounted SailingFlo umpsUnder chassis	•	•	•	•	•	•	•	•	•	•
resh Water Tanks : 2 x95 Litres	•	•	•	•	•	•	•	•	•	•
irey Water Tank : 1 x 110 Litres	•	•	•	•	•	•	•	•	•	•
resh Drinking Water Tank : 1 x 60 itres	NA	•	•	•	•	•	•	•	•	•
xternal Shower	•	•	•	•	•	•	•	•	•	•
Nains Tap to A Frame & Mains Pressure	•	•	•	•	•	•	•	•	•	•
wo 9kg Gas Bottles S- Internally nounted	•	•	•	•	•	•	•	•	•	•
xternal Gas Bayonet Fitting	•	•	•	•	•	•	•	•	•	•
as and Electric Hot Water System	•	•	•	•	•	•	•	•	•	٠

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Plumbing										
Truma Vario Gas Heater	•	•	•	•	•	•	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•	•	•	•	•	•	•
Protection over PVC Drianage Piped	•	•	•	•	•	•	•	•	•	•
Thetford C263CS Ceramic Toilet	14ft7 (CD)	•	•	•	•	•	NA	•	•	NA
Thetford C402-C Left / Right Hand Toilet	14ft9 (RD)	NA	NA	NA	NA	NA	•	NA	NA	•
Ensuite / Bathroom										
Separate Shower & Toilet	•	•	•	•	•	•	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•	•	•	•	•	•	•
Sliding or Hinged Door at Ensuite Entrance (Model Dependent)	•	•	•	•	•	•	•	•	•	•
Caramic Swivel Toilet (Model dependent)	•	•	•	•	•	•	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•	•	•	•	•	•	•
Single Internal Towel Rail	•	•	•	•	•	•	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•	•	•	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•	•	•	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	•	•	•	•	•	•	•	•	•
Exclusive Vanity Mirror with builtin LED Lighting	NA	•	•	•	•	•	NA	NA	•	NA
Wrapped Around OHC over Vanity and Toilet	NA	•	•	•	•	•	NA	NA	•	NA
Kitchen										
Dual Induction Cooktop (Portable)	•	•	•	•	•	•	•	•	•	•
Thetford Duplex MK3 Oven and Grill Combination	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	٠	•	•	•	•	•	•
Three way Filter Tap	•	•	•	•	•	•	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•	•	•	•	•	•	•
Dometic 180 Litre RUC Compressor Fridge 6408 X (Vans 14ft7-19ft4)	•	•	•	•	NA	NA	NA	NA	NA	NA
Dometic 216 Litre RUC Compressor 8408 X (Vans > 19ft9)	NA	NA	NA	NA	•	•	•	•	•	•
Slimline RangeHood	•	•	•	•	•	•	•	•	•	•
Global Eberspacher 3.2KW Air Conditioner	•	•	•	•	•	•	•	•	•	•

Livir Pade Rooi Excli side Hear avail Excli Mag Tic C Teles

Мо

Bed Exclu Pillo Slatt Roo War Bott Side Buil

Cabi CNC Entin Moo (Kitc Whit Spla Gas Cupo Culto

Safe Brea Fire Smo Gas I Dool Secu

lodel	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
iving Seating Area										
adding Over Entry Door and oof Mounted LED	•	•	•	•	•	•	•	•	•	•
xclusive Designed Seating with ide Leg Support	•	•	•	•	•	•	•	•	•	•
leavy Duty Vinyl Flooring vailable in 4 colours	•	•	•	•	•	•	•	•	•	•
xclusive designed Map/ lagazine and Key holder	•	•	•	•	•	•	•	•	•	•
ic Cushion supplied with elescopic table base	NA	• 17ft6 CD	NA	NA	• 19ft11	•	•	•	•	•
edroom										
xclusive Designed Full Size Bedhead	•	•	•	•	•	•	•	•	٠	•
illow Top Spring Mattress on latted Bed Base	•	•	•	•	•	•	•	•	•	•
oof Hatch with Lights	•	•	•	•	•	•	•	•	•	•
Vardrobe with Bedside Nook and ottom Drawers	•	•	•	•	•	•	•	•	•	•
ide Tables with Soft LED lighting	•	•	•	•	•	•	•	•	•	•
uilt In Phone Charger	•	•	•	•	•	•	•	•	•	•
abinetry										
NC Cabintery through out the ntire Van	•	•	•	•	•	•	•	•	•	•
lodern Slimline Benchtop Kitchen and Ensuite)	•	•	•	•	•	•	•	•	•	•
/hite Aluminium Kitchen plashback	•	•	•	•	•	•	•	•	•	•
as Door Struts on Overhead updoors	•	•	•	•	•	•	•	•	•	•
ultrey Drawer Insert	•	•	•	•	•	•	•	•	•	•
afety										
reakaway Safety System	•	•	•	•	•	•	•	•	•	•
ire Extinguisher	•	•	•	•	•	•	•	•	•	•
moke Alarm	•	•	•	•	•	•	•	•	•	•
as Detector - Shut Off Solenoid Valve	•	•	•	•	•	•	•	•	•	•
oor - External 4 Pin lock with ecurity Screen	•	•	•	•	•	•	•	•	•	•
exter Anti Sway Control System (DSC)	•	•	•	•	•	•	•	•	•	•

Family Van Layouts



BR1911CDQBEWSCSB

External Body Length: 6105mm Overal Height: 3200mm Overall External Length: 9050mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



BR216CDQBLLSB


External Body Length: 6590mm Overal Height: 3200mm Overall External Length: 9540mm End Coupling to Outer Spare Tyre

Overall Width: 2500mm



BR226CDQBSCSB

External Body Length: 6895mm Overal Height: 3200mm Overall External Length: 9855mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



BR2210CDQBSCRB

Overall External Length: 9945mm Overall Width: 2500mm End Coupling to Outer Spare Tyre

External Body Length: 6995mm Overal Height: 3200mm



Note : Indicative lengths are standard configuration, any additional options or variations could change these figures



Alu Cru DO

Specifications

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Door Position Reference	CD	CD	CD	CD
Standard Seating Arrangement - Centre Door	Side Club	L-Lounge	Side Club	Side Club
Other Seating Options	Dinette or L-Lounge	NA	Dinette or L-Lounge	Dinette or L-Lounge
Dimensions				
External Body Length	6105mm (CD)	6590mm (CD)	6895mm (CD)	6995mm (CD)
External Length (End Coupling to Outer Spare Tyre)	9050mm (CD)	9540mm (CD)	9855mm (CD)	9945mm (CD)
External Height (Variable)	3200mm	3200mm	3200mm	3200mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm
Internal Length	5950mm (CD)	6425mm (CD)	6725mm (CD)	6825mm (CD)
Internal Height	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm

Construction				
Alko Engineered Designed Infill Flat Floor (TRUSS) - Galvanized	•	•	•	•
Options : SuperGal Painted Charcoal or Enduro Paint	0	0	0	0
Alko Chassis Construction:				
Extended Aframe (length 2000mm , steel 6" x 2") C450	•	•	•	•
Truss Main Bearers Top: 75x50 Grade C350	•	•	•	•
Truss Main Bearers Bottom: 50x50x3mm Grade C350	•	•	•	•
Aluminium Wall Frame	•	•	•	•
Full Piece Composite Roof : 5 Colour Options	•	•	•	•
22mm XPS Mositure Resistant Insulation between Aluminium Wall Frames	•	•	•	•
PolyHoney Comb Heavy Duty Flooring	•	•	•	•
30mm One Piece XPS Insulated CNC Pre-Fabricated Roof	•	•	•	•
Aluminium Composite Panel : 5 Colour Options	•	•	•	•
Cruisemaster Tandem ATX 4.5T Airbag L3 Manual 12" Electric Brakes	•	•	•	•
DO35 / DO45 HitchMaster Coupling (Subject to Weights)	•	•	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Exterior				
265/75 R17 Mud Tyres on Black Rims Includes One Spare Wheel	•	•	•	•
Black Checker Plate , approx 900mm on sides	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•
Picnic Table	•	•	•	•
External TV Box	•	•	•	•
External Awning with Mid roller support	•	•	•	•
Electric Awning	0	0	0	0
Double Manual Entry Step	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•
Bumper Bar 4 arm 45 DEG 46" STD	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•
Full Width Tunnel Boot	•	•	•	•
Checker Plate Large Toolbox with Double Sliders , Internally Mounted Gas Bottles	•	•	•	•
Carafan Sahara Dust Reduction System	•	•	•	•
Jerry Cans x 2	•	•	•	•
Fusion Panel Speaker Outdoor plus Mounting Bracket, with SRX400 Marine Stereo	•	•	•	•
Safety Dave RV 6" Dash Kit (Dual Camera with Double Woza Scren and Car Wiring)	•	•	•	•
Wireless Reversing Camera	•	•	•	•
Electrical				
Enerdrive eSYS-ICA-SI-03 consisting of				
3000W Inverter /Charger / 100A-12V Pure Sinewave Ouput	•	•	•	•
40Amp DC_DC Charger	•	•	•	•
40Amp Solar Charger x 2	•	•	•	•
Simarine VIA Digital Switch Control Panel	•	•	•	•
4 Water Tank Monitoring Sensors	•	•	•	•
2 x 300Ah B-TEC Enerdrive G2 Lithium Batteries	•	•	•	•
Three Solar Panels - Five Solar Panels (200watts each/ model dependent)	•	•	•	•
Anderson Plug - DCtoDC Battery Charging	•	•	•	•
Additional Anderson Plug - Portable Solar Panel	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•
Carafan Sahara Dust Reduction System	•	•	•	•
Starlink Ready: 12V Starlink Cosmo (for Starlink Gen 3)	•	•	•	•
Fusion Radio Apollo 770 Stereo System Plus Fusion Corner Speakers (2 Bedroom and 2 Seating Area)	•	•	•	•
Soft LED strip Lights at : Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC and KickBoard)	•	•	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Electrical				
Multi Colour Annex Light - Door Side	x3	x3	x3	x3
Multi Colour Annex Light - Driver Side	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•
Reversing Camera	•	•	•	•
Wireles Reversing Camera	0	0	0	0
27" Smart TV (Van size > 19ft2)	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•
240V Single Power point,12V Socket,USB port in Bedside Nook	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•
Reading Lights : Bedroom x2 , Living x 2	•	•	•	•
External TV Box : 240V Single Power Point, CIG 12V / Antenna Point Plus Fusion SRX400 Stero and External Panel Speaker	•	•	•	•
QFlow Directional Fans x 2	•	•	•	•
Built in Phone Chargers	•	•	•	•
Plumbing				
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•
Four Water Tank Sensors	•	•	•	•
Two Externally Mounted SailingFlo Pump Under chassis	•	•	•	•
Fresh Water Tanks : 2 x95 Litres	•	•	•	•
Grey Water Tank : 1 x 110 Litres	•	•	•	•
Fresh Drinking Water Tank : 1 x 60 Litres	•	•	•	•
External Shower	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•
Two 9kg Gas Bottles S- Internally mounted	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•
Truma Vario Gas Heater	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•
Protection over PVC Drianage Piped	•	•	•	NA
Thetford C263CS Ceramic Toilet	NA	NA	NA	•
Thetford C402-C Left / Right Hand Toilet	•	•	•	NA

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Ensuite / Bathroom				
Separate Shower & Toilet	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•
Sliding or Hinged Door at Ensuite Entrance (Model Dependent)	•	•	•	•
Caramic Swivel Toilet (Model dependent)	NA	NA	NA	•
Mixer taps Basin , Shower	•	•	•	•
Single Internal Towel Rail	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	•	•	•	NA
Kitchen				
Dual Induction Cooktop (Portable)				
Thetford Duplex MK3 Oven and Grill Combination	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Three way Filter Tap	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•
Dometic 216 Litre RUC Compressor 8408 X (van > 19ft9)	•	•	•	•
Slimline RangeHood	•	•	•	•
Global Eberspacher 3.5KW Air Conditioner	•	•	•	•
Living Seating Area				
Padding Over Entry Door and Roof Mounted LED	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•
Heavy Duty Vinyl Flooring available in 4 colours	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•
Tic Cushion supplied with Telescopic table base	•	•	•	•
Bedroom				
Exclusive Designed Full Size Bedhead	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•
Roof Hatch with Lights	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•
Built In Phone Charger	•	•	•	•
0				

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Bunk Beds				
Double or Triple Bunks	•	•	•	•
Bed Length	1850mm	1850mm	1850mm	2285mm
Padded Side Support and Ladder	•	•	•	•
240V Single Power point, USB port in Bedside Nook	•	•	•	•
Reading Lights per Bunk	•	•	•	•
Cabinetry				
CNC Cabintery through out the Entire Van	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•
Cultrey Drawer Insert	•	•	•	•
Safety				
Breakaway Safety System	•	•	•	•
Fire Extinguisher	•	•	•	•
Smoke Alarm	•	•	•	•
Gas Detector	•	•	•	•
Door - External 4 Pin lock with Security Screen	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•
Accessories				
Exclusive Millard BackPack	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•
Exlcusive Millard Pen set	•	•	•	•
Exclusive Key Ring	•	•	•	•
Exclusive Millard BaseBall Cap	•	•	•	•



Unit 1/36-42 Orange Grove Road, Warwick Farm NSW 2170

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans 🛛 🗗 💿 🖬 🕞 🕹

Trusted name for 78 years

