



Your ticket to *freedom* since 1947


*The Trusted name  
for 78 years*



MFLOW




# Couples Van Layouts




**MF147CDQBEWDS**

External Body Length: 4480mm    Overall Height: 3030mm  
Overall External Length: 7030mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF149RDQBEWDS**

External Body Length: 4530mm    Overall Height: 3030mm  
Overall External Length: 7080mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF176CDQBEWSC**

External Body Length: 5365mm    Overall Height: 3030mm  
Overall External Length: 7915mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF199CDQBSC**

External Body Length: 6055mm    Overall Height: 3030mm  
Overall External Length: 8605mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF1911RDQBSC**

External Body Length: 6105mm    Overall Height: 3030mm  
Overall External Length: 8655mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF216CDQBSC**

External Body Length: 6590mm    Overall Height: 3030mm  
Overall External Length: 9140mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF176CDQBLL**

External Body Length: 5365mm    Overall Height: 3030mm  
Overall External Length: 7915mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF178RDQBDS**

External Body Length: 5420mm    Overall Height: 3030mm  
Overall External Length: 7970mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF183CDQBDS**

External Body Length: 5595mm    Overall Height: 3030mm  
Overall External Length: 8145mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF2111RDQBRC**

External Body Length: 6715mm    Overall Height: 3030mm  
Overall External Length: 9265mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF2111RDQBSC**

External Body Length: 6715mm    Overall Height: 3030mm  
Overall External Length: 9265mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF226CDQBSC**

External Body Length: 6895mm    Overall Height: 3030mm  
Overall External Length: 9455mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF185RDQBDS**

External Body Length: 5645mm    Overall Height: 3030mm  
Overall External Length: 8195mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*




**MF192CDQBDS**

External Body Length: 5875mm    Overall Height: 3030mm  
Overall External Length: 8425mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*



**MF194RDQBDS**

External Body Length: 5925mm    Overall Height: 3030mm  
Overall External Length: 8475mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*



**MF228RDQBRC**

External Body Length: 6945mm    Overall Height: 3030mm  
Overall External Length: 9495mm    Overall Width: 2500mm  
*End Coupling to Outer Spare Tyre*

Specifications

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Door Position Reference	CD/ RD	CD / RD	CD / RD	CD / RD	CD / RD	CD	RD	RD	CD	RD
Standard Seating - Centre Door	Dinette	Side Club EW / L-Lounge	Dinette	Dinette	Side Club	Side Club			Side Club	NA
Standard Seating - Rear Door	Dinette	Dinette	Dinette	Dinette	side Club	NA	Rear Club	Side Club	NA	Rear Club
Other Seating Options	L-Lounge	L-Lounge RD Only	L-Lounge	L-Lounge	Dinette or L-Lounge	Dinette	Side Club + Dinette	Dinette	Dinette	NA
Caption Chairs		17ft6 EW CD	Optional CD&RD	Optional CD&RD			Optional in Rear Club	NA	Optional in Rear Club	
Single Beds (seating change to Side Club)			Optional	Optional	Optional RD Only		Optional in Rear Club	NA	Optional in Rear Club	

Dimensions										
External Body Length	4480mm (CD) / 4530mm (RD)	5365mm (CD) / 5420mm (RD)	5595mm (CD) / 5645mm (RD)	5875mm (CD) / 5925mm (RD)	6055mm (CD) / 6105mm (RD)	6590mm (CD)	6715mm (RD)	6715mm (RD)	6895mm (CD)	6945mm (RD)
External Length (End Coupling to Outer Spare Tyre)	7030mm (CD) / 7080mm (RD)	7915mm (CD) / 7970mm (RD)	8145mm (CD) / 8195mm (RD)	8425mm (CD) / 8475mm (RD)	8605mm (CD) / 8655mm (RD)	9140mm (CD)	9265mm (RD)	9265mm (RD)	9455mm (CD)	9495mm (RD)
External Height (Ground to Top Cowfish Antenna)	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
Internal Length	4335mm (CD) / 4385mm (RD)	5225mm(CD) / 5275mm (RD)	5475mm(CD) / 5525mm (RD)	5710mm (CD) / 5760mm (RD)	5900mm (CD) / 5950mm (RD)	6425mm (CD)	6550mm (RD)	6550mm (RD)	6725mm (CD)	6825mm (RD)
Internal Height	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm

Note : Indicative lengths are standard configuration, any additional options or variations could change these figures

Construction										
Alko Super Gal Painted Chassis Charcccoal	●	●	●	●	●	●	●	●	●	●
Optional Alko Chassis Finish : Galvanized or Enduro Finish	o	o	o	o	o	o	o	o	o	o
Alko Chassis Construction:										
2 Inch Raiser	●	●	●	●	●	●	●	●	●	●
Extended Aframe (length 2000mm , steel 6" x 2") C450	●	●	●	●	●	●	●	●	●	●
Main Rail	100mmx50mm	100mmx50mm	100mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm
Aluminium Wall Frame	●	●	●	●	●	●	●	●	●	●
Full Piece Composite Roof : 4 Colour Options	●	●	●	●	●	●	●	●	●	●

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Construction										
22mm XPS Mositure Resistant Insulation between Aluminim Wall Frames	●	●	●	●	●	●	●	●	●	●
Poly Honey Comb Light Weight Flooring	●	●	●	●	●	●	●	●	●	●
30mm One Piece XPS Insulated CNC Pre-Fabricated Roof	●	●	●	●	●	●	●	●	●	●
Aluminium Composite Panel : 4 Colour Options	●	●	●	●	●	●	●	●	●	●
Alko 63mm Single Square Gal Axle Leaf Spring Suspension 2.5T GTM	●	●	●	NA	NA	NA	NA	NA	NA	NA
Alko 50mm Tandem Square Gal Axle Leaf Spring suspension 4.0T GTM	NA	NA	NA	●	●	●	●	●	●	●
Alko 12" Electric Brakes	●	●	●	●	●	●	●	●	●	●
50mm Standard Alko Ball Coupling	●	●	●	●	●	●	●	●	●	●

Exterior										
235/75 R15 Tyres on Silver/Brack Rims includes One Spare Wheel	NA	●	●	NA	NA	NA	NA	NA	NA	NA
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel	●	NA	NA	●	●	●	●	●	●	●
Black Checker Plate , approx 600mm on sides	●	●	●	●	●	●	●	●	●	●
Printed Decals Choice of 5 colours	●	●	●	●	●	●	●	●	●	●
Picnic Table	●	●	●	●	●	●	●	●	●	●
External Awning with Mid roller support	NA	●	●	●	●	●	●	●	●	●
Electric Awning	●	o	o	o	o	o	o	o	o	o
Single Manual Entry Step	●	●	●	●	●	●	●	●	●	●
Entry Door Grab Handle with Light	●	●	●	●	●	●	●	●	●	●
Two Arm Hot Dip Galvanized Bumper 45 Degree (Short)	●	●	●	●	●	●	●	●	●	●
Alko 8" Jockey Wheel	●	●	●	●	●	●	●	●	●	●
Full Width Tunnel Boot	●	●	●	●	●	●	●	●	●	●

Specifications

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Electrical										
Projecta Intelli RV -PM335C with 4" Display Unit	•	•	•	•	•	•	•	•	•	•
Lithium Battery - 120AH IP67 Fitted Externally in Double Battery Box	•	•	•	•	•	•	•	•	•	•
Anderson Plug	•	•	•	•	•	•	•	•	•	•
Two x 200W Solar Panels	•	•	•	•	•	•	•	•	•	•
Cowfish VanTenna Premium Gen 2 B	•	•	•	•	•	•	•	•	•	•
Fusion Panel Stero Mounted Internally and Externally	•	•	•	•	•	•	•	•	•	•
OysterLighting with soft LED strip light in Ensuite.	•	•	•	•	•	•	•	•	•	•
Multi Colour Annex Light	x2	x2	x2	x3	x3	x3	x3	x3	x3	x3
External Power Point and TV Point	•	•	•	•	•	•	•	•	•	•
Reversing Camera	•	•	•	•	•	•	•	•	•	•
Wireles Reversing Camera	•	o	o	o	o	o	o	o	o	o
24" Smart TV (Vans : 14ft7-18ft5)	•	•	•	•	NA	NA	NA	NA	NA	NA
27" Smart TV (Vans > 19ft2)	NA	NA	NA	NA	•	•	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•	•	•	•	•	•	•
240V Single Power point, 12V Socket, USB port in Bedside Nook	•	•	•	•	•	•	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•	•	•	•	•	•	•
Reading Lights : Bedroom x2, Living x2	•	•	•	•	•	•	•	•	•	•
Plumbing										
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•	•	•	•	•	•	•
Three Water Tank Sensors	•	•	•	•	•	•	•	•	•	•
External Mounted SailingFlo Pump Under chassis	•	•	•	•	•	•	•	•	•	•
Fresh Water Tanks : 2 x95 Litres	•	•	•	•	•	•	•	•	•	•
Grey Water Tank : 1 x 110 litres	•	•	•	•	•	•	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•	•	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Plumbing										
Two 9kg Gas Bottles mounted on Aframe	•	•	•	•	•	•	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•	•	•	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•	•	•	•	•	•	•
Non Return Valve on the shower, vanity bowl and kitchen sink	•	•	•	•	•	•	•	•	•	•
Thetford C263CS Ceramic Toilet	14ft7 (CD)	•	•	•	•	•	NA	•	•	NA
Thetford C402-C Left / Right Hand Toilet	14ft9 (RD)	NA	NA	NA	NA	NA	•	NA	NA	•
Ensuite / Bathroom										
Separate Shower & Toilet	•	•	•	•	•	•	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•	•	•	•	•	•	•
Sliding Door at Ensuite Entrance	•	•	•	•	•	•	•	•	•	•
Caramic Swivel Toilet	•	•	•	•	•	•	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•	•	•	•	•	•	•
Single Internal Towel Rail	•	•	•	•	•	•	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•	•	•	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•	•	•	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	•	•	•	•	•	•	•	•	•


Specifications

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Kitchen										
Recessed Thetford K1540 Dual Fuel Cooktop and Grill	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Three way Filter Tap	•	•	•	•	•	•	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•	•	•	•	•	•	•
Dometic 180 Litre RUES Absorption 6408X	•	•	•	•	NA	NA	NA	NA	NA	NA
Dometic 216 Litre RUES Absorption 8408X	NA	NA	NA	NA	•	•	•	•	•	•
Slimline RangeHood	•	•	•	•	•	•	•	•	•	•
Dometic Freshjet Lite	•	•	•	NA	NA	NA	NA	NA	NA	NA
My Coolman 3KW Reverse Cycle Air Conditioner	NA	NA	NA	•	•	•	•	•	•	•
Living Seating Area										
Padding Over Entry Door	•	•	•	•	•	•	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•	•	•	•	•	•	•
Heavy Duty Vinyl fFlooring available in 4 colours	•	•	•	•	•	•	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•	•	•	•	•	•	•
Tic Cushion supplied with Telescopic table base	NA	• 17ft6 CD	NA	NA	• 19ft11(RD)	•	•	•	•	•
Bedroom										
Exclusive Designed Full Size Bedhead	•	•	•	•	•	•	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•	•	•	•	•	•	•
Roof Hatch with lights	•	•	•	•	•	•	•	•	•	•
Wardrobe with Bedside nook and bottom drawers	•	•	•	•	•	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Cabinetry										
CNC Cabintery through out the entire van	•	•	•	•	•	•	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•	•	•	•	•	•	•
Cultrey Drawer Insert	•	•	•	•	•	•	•	•	•	•
Safety										
Breakaway Safety System	•	•	•	•	•	•	•	•	•	•
Fire Extinguisher	•	•	•	•	•	•	•	•	•	•
Smoke Alarm	•	•	•	•	•	•	•	•	•	•
Door - External 4 Pin lock with Security Screen	•	•	•	•	•	•	•	•	•	•
Accessories										
Exclusive Millard BackPack	•	•	•	•	•	•	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•	•	•	•	•	•	•
Exclusive Millard Pen set	•	•	•	•	•	•	•	•	•	•
Exclusive Key Ring	•	•	•	•	•	•	•	•	•	•
Exclusive Millard BaseBall Cap	•	•	•	•	•	•	•	•	•	•




Family Van Layouts



MF1911CDQBEWSCSB

External Body Length: 6105mm  
Overall External Length: 8655mm  
End Coupling to Outer Spare Tyre


Overall Height: 3030mm  
Overall Width: 2500mm



MF2210CDQBSCRB

External Body Length: 6995mm  
Overall External Length: 9545mm  
End Coupling to Outer Spare Tyre


Overall Height: 3030mm  
Overall Width: 2500mm



MF216CDQBLLSB

External Body Length: 6590mm  
Overall External Length: 9140mm  
End Coupling to Outer Spare Tyre

Overall Height: 3030mm  
Overall Width: 2500mm



MF226CDQBSCSB

External Body Length: 6895mm  
Overall External Length: 9455mm  
End Coupling to Outer Spare Tyre

Overall Height: 3030mm  
Overall Width: 2500mm

Specifications

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Door Position Reference	CD	CD	CD	CD
Standard Seating Arrangement - Centre Door	Side Club	L-Lounge	Side Club	Side Club
Other Seating Options	Dinette or L-Lounge	NA	Dinette or L-Lounge	Dinette or L-Lounge

Dimensions				
External Body Length	6105mm (CD)	6590mm (CD)	6895mm (CD)	6995mm (CD)
External Length (End Coupling to Outer Spare Tyre)	8655mm (CD)	9140mm (CD)	9455mm (CD)	9545mm (CD)
External Height (Ground to Top Cowfish Antenna)	3030mm	3030mm	3030mm	3030mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm
Internal Length	5950mm (CD)	6425mm (CD)	6725mm (CD)	6825mm (CD)
Internal Height	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm

Note : Indicative lengths are standard configuration, any additional options or variations could change these figures

Construction				
Alko Super Gal Painted Chassis Charccoal	•	•	•	•
Optional Alko Chassis Finish: Galvanized	o	o	o	o
Alko Chassis Construction:				
2 Inch Raiser	•	•	•	•
Extended Aframe (length 2000mm , (steel 6" x 2") C450	•	•	•	•
Main Rail	150mm x 50mm	150mm x 50mm	150mm x 50mm	150mm x 50mm
Aluminium Wall Frame	•	•	•	•
Full Piece Composite Roof: 5 Colour Options	•	•	•	•
22mm XPS Mositure Resistant Insulation between Aluminium Wall Frames	•	•	•	•
Poly Honey Comb Light Weight Flooring	•	•	•	•
30mm One Piece XPS Insulated CNC Pre-Fabricated Roof	•	•	•	•
Aluminium Composite Panel: 5 Colour Options	•	•	•	•
Alko 50mm Tandem Square Gal Axle Leaf Spring suspension 4.0T GTM	•	•	•	•
Alko 12" Electric Brakes	•	•	•	•
50mm Standard Alko Ball Coupling	•	•	•	•

# Specifications

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Exterior				
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•	•
Black Checker Plate, approx 600mm on sides	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•
Picnic Table	•	•	•	•
External Awning with Mid roller support	•	•	•	•
Electric Awning	o	o	o	o
Single Manual Entry Step	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•
Two Arm Hot Dip Galvanized Bumper 45 Degree (Short)	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•
Full Width Tunnel Boot	•	•	•	•
Electrical				
Projecta Intelli RV -PM335C with 4" Display Unit	•	•	•	•
Lithium Battery - 120AH IP67 Fitted Externally in Double Battery Box	•	•	•	•
Anderson Plug	•	•	•	•
Two x 200W Solar Panels	•	•	•	•
Cowfish VanTenna Premium Gen 2 B	•	•	•	•
Fusion Panel Stero Mounted Internally and Externally	•	•	•	•
OysterLighting with soft LED strip light in Ensuite.	•	•	•	•
Multi Colour Annex Light	x3	x3	x3	x3
External Power Point and TV Point	•	•	•	•
Reversing Camera	•	•	•	•
Wireles Reversing Camera	o	o	o	o
27" Smart TV	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•
240V Single Power point,12V Socket,USB port in Bedside Nook	•	•	•	•
Double Power Points: Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•
Reading Lights: Bedroom x2 , Living x 2	•	•	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Plumbing				
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•
Three Water Tank Sensors	•	•	•	•
External Mounted SailingFlo Pump Under chassis	•	•	•	•
Fresh Water Tanks: 2 x95 Litres	•	•	•	•
Grey Water Tank: 1 x 110 litres	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•
Two 9kg Gas Bottles mounted on Aframe	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•
Non Return Valve on the shower, vanity bowl and kitchen sink	•	•	•	•
Thetford C263CS Ceramic Toilet	NA	NA	NA	•
Thetford C402-C Left / Right Hand Toilet	•	•	•	NA

Ensuite / Bathroom				
Separate Shower & Toilet	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•
Sliding Door at Ensuite Entrance	•	•	•	•
Side Plastic Toilet	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•
Single Internal Towel Rail	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	•	•	•	•

Kitchen				
Recessed Thetford K1540 Dual Fuel Cooktop and Grill	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Three way Filter Tap	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•
Dometic 180 Litre RUES Absorption 6408X	NA	NA	NA	NA
Dometic 216 Litre RUES Absorption 8408X	•	•	•	•
Slimline RangeHood	•	•	•	•
My Coolman 3KW Reverse Cycle Air Conditioner	•	•	•	•

# Specifications

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Living Seating Area				
Padding Over Entry Door	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•
Heavy Duty Vinyl Flooring available in 4 colours	•	•	•	•
Exclusive designed Map / Magazine and Key holder	•	•	•	•
Tic Cushion supplied with Telescopic table base	•	•	•	•
Bedroom				
Exclusive Designed Full Size Bedhead	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•
Roof Hatch with lights	•	•	•	•
Wardrobe with Bedside nook and bottom drawers	•	•	•	•
Bunk Beds				
Double or Triple Bunks	•	•	•	•
Bed Length	1850mm	1850mm	1850mm	2285mm
Padded Side Support and Ladder	•	•	•	•
240V Single Power point,USB port in Bedside Nook	•	•	•	•
Reading Lights per Bunk	•	•	•	•
Cabinetry				
CNC Cabintery through out the entire van	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•
Cultrey Drawer Insert	•	•	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Safety				
Breakaway Safety System	•	•	•	•
Fire Extinguisher	•	•	•	•
Smoke Alarm	•	•	•	•
Door - External 4 Pin lock with Security Screen	•	•	•	•
Accessories				
Exclusive Millard BackPack	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•
Exclusive Millard Pen set	•	•	•	•
Exclusive Key Ring	•	•	•	•
Exclusive Millard BaseBall Cap	•	•	•	•





Your ticket to *freedom*  
since 1947

Unit 1/36-42 Orange Grove Road,  
Warwick Farm NSW 2170

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans     

**Trusted name for 78 years**

Your Millard Caravans Dealer:

