



Your ticket to **freedom** since 1947



Couples Van Layouts



MX147CDOBEWDS

External Body Length: 4480mm Overal Height: 3030mm Overall External Length: 7080mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



MX176CDOBLL

External Body Length: 5365mm Overal Height: 3030mm Overall External Length: 7965mm End Coupling to Outer Spare Tyre

Overall Width: 2500mm



MX185RDOBDS

External Body Length: 5645mm Overal Height: 3030mm Overall External Length: 8245mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



MX149RDQBEWDS

External Body Length: 4530mm Overall External Length: 7130mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm



MX178RDQBDS

External Body Length: 5420mm Overall External Length: 8020mm End Coupling to Outer Spare Tyre


Overal Height: 3030mm Overall Width: 2500mm



MX192CDQBDS

External Body Length: 5875mm Overall External Length: 8475mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm



MX176CDOBEWSC

External Body Length: 5365mm Overall External Length: 7965mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm



MX183CDQBDS

External Body Length: 5595mm Overal Height: 3030mm Overall External Length: 8195mm End Coupling to Outer Spare Tyre


Overall Width: 2500mm



MX194RDQBDS

External Body Length: 5925mm Overall External Length: 8525mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm



MX199CDOBSC

External Body Length: 6055mm Overall External Length: 8655mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm



MX2111RDOBRC

External Body Length: 6715mm Overall External Length: 9325mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm





MX1911RDOBSC

External Body Length: 6105mm Overall External Length: 8705mm End Coupling to Outer Spare Tyre

MX2111RDQBSC

End Coupling to Outer Spare Tyre

External Body Length: 6715mm

Overall External Length: 9325mm

Overal Height: 3030mm Overall Width: 2500mm

Overal Height: 3030mm

Overall Width: 2500mm



External Body Length: 6590mm Overall External Length: 9190mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm



MX226CDQBSC

External Body Length: 6895mm Overall External Length: 9505mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm

MF228RDQBRC

External Body Length: 6945mm Overall External Length: 9545mm End Coupling to Outer Spare Tyre

Overal Height: 3030mm Overall Width: 2500mm

2 - Millard Caravans

Door Position Reference

17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)

CD / RD

18ft3 (CD) / 18ft5 (RD)

CD / RD

19ft2 (CD) / 19ft4 (RD)

CD / RD

19ft9 (CD) / 19ft11 (RD)

CD / RD

21ft6 (CD)

CD

21ft11 (RD)

RD

21ft11 (RD)

RD

14ft7 (CD) / 14ft9 (RD)

CD/ RD

Standard Seating Arrangement - Centre Door	Dinette	Side Club EW /L- Lounge	Dinette	Dinette	Side Club	Side Club			Side Club	NA
Standard Seating Arrangement - Rear Door	Dinette	Dinette	Dinette	Dinette	side Club	NA	Rear Club	Side Club	NA	Rear Club
Other Seating Options	L-Lounge	L-Lounge RD Only	L-Lounge	L-Lounge	Dinette or L- Lounge	Dinette	Side Club + Dinette	Dinetter	Dinette	NA
Caption Chairs		17ft6 EW CD	Optional CD&RD	Optional CD&RD			Optional in Rear Club	NA	Optional ir	n Rear Club
Single Beds (seating change to Side Club)			Optional	Optional	Optional RD Only		Optional in Rear Club	NA	Optional ir	n Rear Club
Dimensions										
Dimensions External Body Length	4480mm (CD) /	5365mm (CD) /		5875mm (CD) /	6055mm (CD) /	6590mm (CD)	6715mm (RD)	6715mm (RD)	6895mm (CD)	6945mm (RD)
, 0	4530mm (RD) 7080mm (CD) /	5420mm (RD) 7965mm (CD) /	5645mm (RD) 8195mm (CD) /	5925mm (RD)	6105mm (RD)	. ,	07 13.11.11 (N.B.)	071311111 (112)	003311111 (CD)	03 1311111 (112)
External Length (End Coupling to Outer Spare Tyre)	7130mm (RD)	8020mm (RD)	8245mm (RD)	8475mm (CD) / 8525mm (RD)	8655mm (CD) / 8705mm (RD)	9190mm (CD)	9325mm (RD)	9325mm (RD)	9505mm (CD)	9545mm (RD)
External Height (Ground to Top Cowfish Antenna)	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
Internal Length	4335mm (CD) / 4385mm (RD)	5225mm(CD) / 5275mm (RD)	5475mm(CD) / 5525mm (RD)		5900mm (CD) / 5950mm (RD)	6425mm (CD)	6550mm (RD)	6550mm (RD)	6725mm (CD)	6825mm (RD)
Internal Height	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm
Note : Indicative lengths are standard	configuration, an	y additional optio	ns or variations co	ould change these	figures					
Construction										
Alko Super Gal Painted Chassis Charccoal	•	•	•	•	•	•	•	•	•	•
Optional Alko Chassis Finish: Galvanized or Enduro Finish (Rubberized Coat)	0	0	o	0	0	0	0	0	0	0
Alko Chassis Construction:										
Extended Aframe (length 2000mm , steel 6" x 2") C450	•	•	•	•	•	•	•	•	•	•
Main Rail	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm
Aluminium Wall Frame	•	•	•	•	•	•	•	•	•	•
Full Piece Composite Roof : 5 Colour Options	•	•	•	•	•	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Construction										
22mm XPS Mositure Resistant Insulation between Aluminium Wall Frames	•	•	•	•	•	•	•	•	•	•
PolyHoney Comb Light Weight Flooring	•	•	•	•	•	•	•	•	•	•
30mm One Piece XPS Insulated CNC Pre-Fabricated Roof	•	•	•	•	•	•	•	•	•	•
Aluminium Composite Panel: 5 Colour Options	•	•	•	•	•	•	•	•	•	•
Alko Independent Single Axle Coil Spring Suspension 2.5T GTM	•	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cruisemaster ATX Single Axle Suspension 3.0T ATM	NA	•	•	NA	NA	NA	NA	NA	NA	NA
Alko Independent Tandem Coil Spring Suspension 4.1T GTM	NA	NA	NA	•	•	•	•	•	•	•
Alko 12" Electric Brakes	•	•	•	•	•	•	•	•	•	•
DO35 V2 HitchMaster Coupling	•	•	•	•	•	•	•	•	•	•
Exterior										
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•	•	•	•	•	•	•	•
Black Checker Plate, approx 600mm on sides	•	•	•	•	•	•	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•	•	•	•	•	•	•
Picnic Table	•	•	•	•	•	•	•	•	•	•
External TV Box	NA	•	•	•	•	•	•	•	•	•
External Awning with Mid roller support	NA	•	•	•	•	•	•	•	•	•
Electric Awning	•	0	0	0	0	0	0	0	0	0
Single Manual Entry Step	•	•	•	•	•	•	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•	•	•	•	•	•	•
Two Arm Hot Dip Galvanized Bumper 45 Degree	•	•	•	•	•	•	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•	•	•	•	•	•	•
Full Width Tunnel Boot	•	•	•	•	•	•	•	•	•	•
Checker Plate Toolbox with Double Sliders	•	•	•	•	•	•	•	•	•	•

4 - Millard Caravans Key: • Standard | o Optional | NA Not Available Key: • Standard | o Optional | NA Not Available XRider - 5

22ft8 (RD)

RD

22ft6 (CD)

CD

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Electrical										
Projecta Intelli RV -PM435C with 7" Display Unit	•	•	•	•	•	•	•	•	•	•
Lithium Battery - 2 x 120AH IP67 Fitted Externally in Double Battery Box	•	•	•	•	•	•	•	•	•	•
Two x 200W Solar Panels	•	•	•	•	•	•	•	•	•	•
Anderson Plug	•	•	•	•	•	•	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•	•	•	•	•	•	•
King OmniPro Antenna	•	•	•	•	•	•	•	•	•	•
Starlink Ready: 12V Starlink Cosmo (for Starlink Gen 3)	•	•	•	•	•	•	•	•	•	•
Fusion Panel Stero Mounted Internally and Externally	•	•	•	•	•	•	•	•	•	•
Dimmerable Downlights with soft LED strip light in Ensuite.	•	•	•	•	•	•	•	•	•	•
Soft LED strip Lights at: Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC and KickBoard)	•	•	•	•	•	•	•	•	•	•
Multi Colour Annex Light - Door Side	x2	x2	x2	х3	х3	х3	х3	х3	х3	х3
Multi Colour Annex Light - Drivers Side	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•	•	•	•	•	•	•
Reversing Camera	NA	•	•	•	•	•	•	•	•	•
Wireles Reversing Camera	•	0	0	0	0	0	0	0	0	0
24" Smart TV (van size : 14ft7- 19ft4)	•	•	•	•	NA	NA	NA	NA	NA	NA
27" Smart TV (Van size > 19ft9)	NA	NA	NA	NA	•	•	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•	•	•	•	•	•	•
240V Single Power point,12V Socket,USB port in Bedside Nook	•	•	•	•	•	•	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•	•	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Electrical										
Reading Lights : Bedroom x2, Living x2	•	•	•	•	•	•	•	•	•	•
External TV Box : 240V Single Power Point, CIG 12V / Antenna Point	•	•	•	•	•	•	•	•	•	•
Plumbing										
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•	•	•	•	•	•	•
Three Water Tank Sensors	•	•	•	•	•	•	•	•	•	•
External Mounted SailingFlo Pump Under chassis	•	•	•	•	•	•	•	•	•	•
Fresh Water Tanks : 2 x95 Litres	•	•	•	•	•	•	•	•	•	•
Grey Water Tank: 1 x 110 litres	•	•	•	•	•	•	•	•	•	•
External Shower	•	•	•	•	•	•	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•	•	•	•	•	•	•
Two 9kg Gas Bottles Stored InsideToolbox On Slider	•	•	•	•	•	•	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•	•	•	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•	•	•	•	•	•	•
AuFocus Diesel Heater (2KW)	•	•	•	•	•	•	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•	•	•	•	•	•	•
Thetford C263CS Ceramic Toilet	14ft7 (CD)	•	•	•	•	•	NA	•	•	NA
Thetford C402-C Left / Right Hand Toilet	14ft9 (RD)	NA	NA	NA	NA	NA	•	NA	NA	•
Ensuite / Bathroom										
Separate Shower & Toilet	•	•	•	•	•	•	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•	•	•	•	•	•	•
Sliding or Hinged Door at Ensuite Entrance (Model Dependent)	•	•	•	•	•	•	•	•	•	•
Caramic Swivel Toilet (Model dependent)	•	•	•	•	•	•	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•	•	•	•	•	•	•
Single Internal Towel Rail	•	•	•	•	•	•	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•	•	•	•	•	•	•

6 - Millard Caravans

Key: • Standard | o Optional | NA Not Available

Key: • Standard | o Optional | NA Not Available

XRider - 7

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Ensuite / Bathroom										
Bathroom Window Above Toilet	•	•	•	•	•	•	•	•	•	•
Oflow Exclusive 2.5kg Front Loader Washing Machine	NA	•	•	•	•	•	•	•	•	•
Exclusive Vanity Mirror with builtin LED Lighting	NA	•	•	•	•	•	NA	NA	•	NA
Wrapped Around OHC over Vanity and Toilet	NA	•	•	•	•	•	NA	NA	•	NA
Kitchen										
Recessed Thetford K1520 Combination Cooker -Dual Fuel W/Fan Forced Oven	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Three way Filter Tap	•	•	•	•	•	•	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•	•	•	•	•	•	•
Dometic 180 Litre RUES Absorption 6408X (Van Size 14ft7-19ft4)	•	•	•	•	NA	NA	NA	NA	NA	NA
Dometic 216 Litre RUES Absorption 8408X (van > 19ft9)	NA	NA	NA	NA	•	•	•	•	•	•
Slimline RangeHood	•	•	•	•	•	•	•	•	•	•
Global Eberspacher 3.5KW Air Conditioner	•	•	•	•	•	•	•	•	•	•
Living Seating Area										
Padding Over Entry Door and Roof Mounted LED	•	•	•	•	•	•	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•	•	•	•	•	•	•
Heavy Duty Vinyl Flooring available in 4 colours	•	•	•	•	•	•	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•	•	•	•	•	•	•
Tic Cushion supplied with Telescopic table base	NA	• 17ft6 CD	NA	NA	• 19ft11	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Bedroom										
Exclusive Designed Full Size Bedhead	•	•	•	•	•	•	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•	•	•	•	•	•	•
Roof Hatch with Lights	•	•	•	•	•	•	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•	•	•	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•	•	•	•	•	•	•
Built in Phone Chargers	•	•	•	•	•	•	•	•	•	•
Cabinetry										
CNC Cabintery through out the Entire Van	•	•	•	•	•	•	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•	•	•	•	•	•	•
Cultrey Drawer Insert	•	•	•	•	•	•	•	•	•	•
Safety										
Breakaway Safety System	•	•	•	•	•	•	•	•	•	•
Fire Extinguisher	•	•	•	•	•	•	•	•	•	•
Smoke Alarm	•	•	•	•	•	•	•	•	•	•
Door - External 4 Pin lock with Security Screen	•	•	•	•	•	•	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•	•	•	•	•	•	•
Accessories										
Exclusive Millard BackPack	•	•	•	•	•	•	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•	•	•	•	•	•	•
Exlcusive Millard Pen set	•	•	•	•	•	•	•	•	•	•
Exclusive Key Ring	•	•	•	•	•	•	•	•	•	•
Exclusive Millard BaseBall Cap	•	•	•	•	•	•	•	•	•	•

8 - Millard Caravans

Key: • Standard | o Optional | NA Not Available

Key: • Standard | o Optional | NA Not Available

Family Van Layouts



MX1911CDQBEWSCSB

External Body Length: 6105mm Overal Height: 3030mm Overall External Length: 8750mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



MX2210CDQBSCRB

External Body Length: 6995mm Overal Height: 3030mm Overall External Length: 9645mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



MX216CDQBLLSB

External Body Length: 6590mm Overal Height: 3030mm Overall External Length: 9240mm End Coupling to Outer Spare Tyre

Overall Width: 2500mm



MX226CDQBSCSB

External Body Length: 6895mm Overal Height: 3030mm Overall External Length: 9555mm Overall Width: 2500mm End Coupling to Outer Spare Tyre

Specifications

Door Position Reference	CD	CD	CD	CD
Standard Seating Arrangement - Centre Door	Side Club	L-Lounge	Side Club	Side Club
Other Seating Options	Dinette or L-Lounge	NA	Dinette or L-Lounge	Dinette or L-Lounge
Dimensions				
External Body Length	6105mm (CD)	6590mm (CD)	6895mm (CD)	6995mm (CD)
External Length (End Coupling to Outer Spare Tyre)	8750mm (CD)	9240mm (CD)	9555mm (CD)	9645mm (CD)
External Height (Ground to Top AC Unit)	3030mm	3030mm	3030mm	3030mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm
Internal Length	5950mm (CD)	6425mm (CD)	6725mm (CD)	6825mm (CD)
Internal Height	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm

19ft11 EW (CD)

21ft6 (CD)

22ft6 (CD)

22ft10 (CD)

•	•	•	•
0	0	0	0
•	•	•	•
150mm x 50mm	150mm x 50mm	150mm x 50mm	150mm x 50mm
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
	0 150mm x 50mm 0 0 150mm x 50mm	•	• •

10 - Millard Caravans XRider - 11

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Exterior				
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•	•
Black Checker Plate , approx 600mm on sides	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•
Picnic Table	•	•	•	•
External TV Box	•	•	•	•
External Awning with Mid roller support	•	•	•	•
Electric Awning	0	0	0	0
Single Manual Entry Step	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•
Two Arm Hot Dip Galvanized Bumper 45 Degree	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•
Full Width Tunnel Boot	•	•	•	•
Checker Plate Toolbox with Double Sliders	•	•	•	•
Electrical				
Projecta Intelli RV -PM435C with 7" Display Unit	•	•	•	•
Lithium Battery - 2 x 120AH IP67 Fitted Externally in Double Battery Box	•	•	•	•
Two x 200W Solar Panels	•	•	•	•
Anderson Plug	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•
King OmniPro Antenna	•	•	•	•
Starlink Ready: 12V Starlink Cosmo (for Starlink Gen 3)	•	•	•	•
Fusion Panel Stero Mounted Interanlly and Externally	•	•	•	•
Dimmerable Downlights with soft LED strip light in Ensuite.	•	•	•	•
Soft LED strip Lights at : Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry	•	•	•	•
Multi Colour Annex Light - Door Side	x3	x3	x3	х3
Multi Colour Annex Light - Door Side	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•
Reversing Camera	•	•	•	•
27" Smart TV (Van size > 19ft2)	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•
240V Single Power point,12V Socket,USB port in Bedside Nook	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•
Reading Lights : Bedroom x2 , Living x 2	•	•	•	•
External TV Box : 240V Single Power Point, CIG 12V / Antenna Point	•	•	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Plumbing				
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•
Three Water Tank Sensors	•	•	•	•
External Mounted SailingFlo Pump Under chassis	•	•	•	•
Fresh Water Tanks : 2 x95 Litres	•	•	•	•
Grey Water Tank : 1 x 110 litres	•	•	•	•
External Shower	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•
Two 9kg Gas Bottles Stored Inside Toolbox On Slider	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•
Non Return Valve on the shower, vanity bowl and kitchen sink	•	•	•	•
Thetford C263CS Ceramic Toilet	NA	NA	NA	•
Thetford C402-C Left / Right Hand Toilet	•	•	•	NA
Ensuite / Bathroom				
Separate Shower & Toilet	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•
Sliding Door at Ensuite Entrance	•	•	•	•
Side Plastic Toilet	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•
Single Internal Towel Rail	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	•	•	•	•
Kitchen				
Recessed Thetford K1520 Combination Cooker -Dual Fuel W/Fan Forced Oven	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Three way Filter Tap	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•
Dometic 180 Litre RUES Absorption 6408X	NA	NA	NA	NA
Dometic 216 Litre RUES Absorption 8408X	•	•	•	•
Slimline RangeHood	•	•	•	•
	=	· ·	=	

12 - Millard Caravans

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Living Seating Area				
Padding Over Entry Door and Roof Mounted LED	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•
Heavy Duty Vinyl Flooring available in 4 colours	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•
Tic Cushion supplied with Telescopic table base	•	•	•	•
Bedroom				
Exclusive Designed Full Size Bedhead	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•
Roof Hatch with Lights	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•
Built In Phone Chargers	•	•	•	•
Bunk Beds				
Double or Triple Bunks	•	•	•	•
Bed Length	1850mm	1850mm	1850mm	2285mm
Padded Side Support and Ladder	•	•	•	•
240V Single Power point, USB port in Bedside Nook	•	•	•	•
Reading Lights per Bunk	•	•	•	•
Cabinetry				
CNC Cabintery through out the entire van	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•
Cultrey Drawer Insert	•	•	•	•

lodel	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
afety				
reakaway Safety System	•	•	•	•
re Extinguisher	•	•	•	•
moke Alarm	•	•	•	•
oor - External 4 Pin lock with Security Screen	•	•	•	•
exter Anti Sway Control System (DSC)	•	•	•	•
ccessories				
xclusive Millard BackPack	•	•	•	•
xclusive Millard Umbrella	•	•	•	•
xlcusive Millard Pen set	•	•	•	•
xclusive Key Ring	•	•	•	•
xclusive Millard BaseBall Cap	•	•	•	•

14 - Millard Caravans

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans

♠ ② in □ ↓





